Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4657089	@ad<"20000218"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/12/01 12:37
L2	69	1 and file adj server near2 request near2 client	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/12/01 14:02
L3	4	1 and (upgrad$5 reconfig$5 swap$5) near3 encryption near3 (processor hardware chip board module)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/12/01 14:04
S1	10	(@ad<"20000218" and (authority) same session adj key with generat$5) and encrypted with (data content media information file) with stor$6	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/03 09:09
S2	9	(@ad<"20000218" and (authority) with session adj key with generat$5)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/03 09:09
S3	13	(@ad<"20000218" and 380/279. ccls.) and authentica$6 with client with server	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/08 10:30
S4	4647429	@ad<"20000218"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/07 11:13
S5	4647429	@ad<"20000218"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/07 12:29
S6	161	@ad<"20000218" and (security authorization) adj server and client and (data file information) adj server	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/07 12:38
S7	95	(@ad<"20000218" and (security authorization) adj server and client and (data file information) adj server) and key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/07 12:33
S8	20	(@ad<"20000218" and (security authorization) adj server and client and (data file information) adj server) and session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/07 13:43

S9	11	@ad<"20000218" and (security authorization) adj server and client and encrypted adj (data files content media information) with server	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/07 13:51
S10	148	@ad<"20000218" and server and client and encrypted adj (data files content media information) with server	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/07 13:39
S11	39	(@ad<"20000218" and server and client and encrypted adj (data files content media information) with server) and session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/07 13:43
S12	39	@ad<"20000218" and (security authorization) and server and client and encrypted adj (data files content media information) with server and session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/07 13:53
S13	145	@ad<"20000218" and (authentication security) adj server and session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/07 13:53
S14	230	@ad<"20000218" and (authentication security) near2 server and session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/07 14:01
S15	91	@ad<"20000218" and (authentication security) near2 server and session adj key with generat$5	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/07 14:46
S16	25	(@ad<"20000218" and (authentication security) near2 server and session adj key with generat$5) and encrypted with (data content media information file) with stor$6	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/03 09:05
S17	8	(@ad<"20000218" and (authentication security) near2 server and session adj key with generat$5) and 380/279.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/07 14:58
S18	119	@ad<"20000218" and 380/279.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/30 09:14
S19	31	(@ad<"20000218" and 380/279. ccls.) and session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/07 15:08

S20	26	@ad<"20000218" and 705/51,57. ccls. and session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/07 15:23
S21	356	@ad<"20000218" and kerberos	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/07 15:23
S22	112	(@ad<"20000218" and kerberos) and session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/07 15:24
S23	109	((@ad<"20000218" and kerberos) and session adj key) and authentication	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/07 15:48
S24	30	@ad<"20000218" and kdc and session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/08 10:10
S25	4647429	@ad<"20000218"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/08 10:07
S26	116	@ad<"20000218" and distribut$5 with session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/08 10:22
S27	100	(@ad<"20000218" and distribut$5 with session adj key) and encrypt$4 with (data information media content file)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/08 10:22
S28	17	(@ad<"20000218" and 380/279. ccls.) and authentica$6 with client	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/08 10:30
S29	9	((@ad<"20000218" and 380/279. ccls.) and authentica$6 with client) and session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/08 10:34
S30	137	@ad<"20000218" and access with control$2 with (Data content media information) and authentication with (user client) and session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/08 10:36
S31	12	("4933969" | "5457746" | "5495533" | "5509074" | "5530758" | "5555304" | "5757914" | "5757915" | "5778070" | "5884986" | "5870477" | "5917912").PN.	USPAT	OR	ON	2004/09/08 10:47

S32	4647429	@ad<"20000218"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/09 10:47
S33	136	@ad<"20000218" and rules and server and client and session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/09 10:48
S34	120	(@ad<"20000218" and rules and server and client and session adj key) and authenticat$5	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/09 10:48
S35	31	((@ad<"20000218" and rules and server and client and session adj key) and authenticat$5) and encrypt$4 near2 session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/09 10:49
S36	15	"6044155".URPN.	USPAT	OR	ON	2004/09/09 12:02
S37	11	("4933969" | "5432851" | "5495533" | "5509074" | "5530758" | "5555304" | "5748735" | "5870468" | "5870477" | "5889860" | "5953422").PN.	USPAT	OR	ON	2004/09/09 12:02
S38	8	("6044155".URPN. (("4933969" | "5432851" | "5495533" | "5509074" | "5530758" | "5555304" | "5748735" | "5870468" | "5870477" | "5889860" | "5953422").PN.)) and session adj key	USPAT	OR	ON	2004/09/09 12:02
S39	4647426	@ad<"20000218"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/13 08:18
S40	308	@ad<"20000218" and access near2 (rules control$4) and ("713"/$.ccls. "380"/$.ccls.) and (security authorization verification) near2 server	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/13 08:27
S41	39	(@ad<"20000218" and access near2 (rules control$4) and ("713"/$.ccls. "380"/$.ccls.) and (security authorization verification) near2 server) and server with (generat$5 build) near2 key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/13 08:28
S42	39	(@ad<"20000218" and access near2 (rules control$4) and ("713"/$.ccls. "380"/$.ccls.) and (security authorization verification) near2 server) and server with generat$5 near2 key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/13 08:36

S43	55	(@ad<"20000218" and access near2 (rules control$4) and ("713"/$.ccls. "380"/$.ccls.) and (security authorization verification) near2 server) and session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/13 08:36
S44	4655701	@ad<"20000218"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/01 10:50
S45	1058	@ad<"20000218" and session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/01 11:28
S46	31	(@ad<"20000218" and session adj key) and 380/279.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/01 10:52
S47	0	"6728379".URPN.	USPAT	OR	ON	2004/11/01 11:18
S48	6	("5247575" | "5400403" | "5892900" | "6320829" | "6438235" | "6463151").PN.	USPAT	OR	ON	2004/11/01 11:18
S49	67	(@ad<"20000218" and session adj key) and data adj server	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/01 12:42
S50	3	("5138712" | "5291596" | "5455953").PN.	USPAT	OR	ON	2004/11/01 11:42
S51	11	"6236971".URPN.	USPAT	OR	ON	2004/11/01 11:42
S52	0	@ad<"20000218" and "705"/$.ccls. and "380"/$.ccls and session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/01 12:43
S53	0	@ad<"20000218" and "705"/$.ccls. and "380"/$.ccls	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/01 12:42
S54	917	@ad<"20000218" and "705"/$.ccls. and "380"/$.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/01 14:24
S55	114	@ad<"20000218" and "705"/$.ccls. and "380"/$.ccls. and session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/01 13:12
S56	152	@ad<"20000218" and session adj key and authenticat$5 and (stor$5) with encrypted near2 (data media content files! information)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/01 13:15

S57	91	(@ad<"20000218" and session adj key and authenticat$5 and (stor$5) with encrypted near2 (data media content files! information)) and server	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/01 13:31
S58	44	((@ad<"20000218" and session adj key and authenticat$5 and (stor$5) with encrypted near2 (data media content files! information)) and server) and rules	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/01 13:35
S59	33	@ad<"20000218" and content with (protection) and content with distribut$5 and session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/01 13:43
S60	28	(@ad<"20000218" and (content media copyright) with (protection) and (media data content) with distribut$5 and session adj key) not (@ad<"20000218" and content with (protection) and content with distribut$5 and session adj key)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/01 13:51
S61	43	@ad<"20000218" and (security authentication) adj server same session adj key and encrypted near2 (media data content information files!)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/01 13:57
S62	119	@ad<"20000218" and 380/279.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/01 14:25
S63	31	(@ad<"20000218" and 380/279. ccls.) and session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/01 14:26
S64	36	(@ad<"20000218" and 380/279. ccls.) and (session media content) adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/01 14:26
S65	61	@ad<"20000218" and (content media copyright) with (protection) and (media data content) with distribut$5 and session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/01 15:11
S66	187	@ad<"20000218" and encrypted adj session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/01 15:11
S67	134	(@ad<"20000218" and encrypted adj session adj key) and authentication	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/01 15:23

S68	30	((@ad<"20000218" and encrypted adj session adj key) and authentication) and encrypted adj (media content data files! information) with (stor$5)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/01 15:12
S69	24	((@ad<"20000218" and encrypted adj session adj key) and authentication) and (data file media content) adj server	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/01 15:23
S70	32	"5313521".URPN.	USPAT	OR	ON	2004/11/01 16:19
S71	297	@ad<"20000218" and (content media) with distribut$6 and (session media content) adj key	USPAT	OR	ON	2004/11/02 10:20
S72	22	(@ad<"20000218" and (content media) with distribut$6 and (session media content) adj key) and (authentication security) adj server	USPAT	OR	ON	2004/11/01 16:21
S73	33	@ad<"20000218" and (content media) with distribut$6 and encrypted adj (session media content) adj key	USPAT	OR	ON	2004/11/01 16:44
S74	1	"5991399".PN.	USPAT	OR	OFF	2004/11/01 16:40
S75	1	"5754649".PN.	USPAT	OR	OFF	2004/11/01 16:41
S76	37	@ad<"20000218" and key adj escrow and session adj key and server	USPAT	OR	ON	2004/11/01 16:45
S77	51	("4747139" | "4817140" | "5003410" | "5033084" | "5034980" | "5155768" | "5191573" | "5199066" | "5418713" | "5592651" | "5621796" | "5623547" | "5636276" | "5661799" | "5673316" | "5675734" | "5677953" | "5715314" | "5724424" | "5734823" | "5734891" | "5742845" | "5745568" | "5754649" | "5757907" | "5778421" | "5790677" | "5794217" | "5809144" | "5857021" | "5889860" | "5892900" | "5900564" | "5910987" | "5915019" | "5917912" | "5920861" | "5943422" | "5949876" | "5982891" | "6005939" | "6061448" | "6112181" | "6138119" | "6157721" | "6185683" | "6189098" | "6236971" | "6237786" | "6240185" | "6253193").PN.	USPAT	OR	ON	2004/11/01 17:10
S78	21	"6385596".URPN.	USPAT	OR	ON	2004/11/01 17:10
S79	21	"6385596".URPN.	USPAT	OR	ON	2004/11/01 17:11

| S80 | 51 | ("4747139" \| "4817140" \| "5003410" \| "5033084" \| "5034980" \| "5155768" \| "5191573" \| "5199066" \| "5418713" \| "5592651" \| "5621796" \| "5623547" \| "5636276" \| "5661799" \| "5673316" \| "5675734" \| "5677953" \| "5715314" \| "5724424" \| "5734823" \| "5734891" \| "5742845" \| "5745568" \| "5754649" \| "5757907" \| "5778421" \| "5790677" \| "5794217" \| "5809144" \| "5857021" \| "5889860" \| "5892900" \| "5900564" \| "5910987" \| "5915019" \| "5917912" \| "5920861" \| "5943422" \| "5949876" \| "5982891" \| "6005939" \| "6061448" \| "6112181" \| "6138119" \| "6157721" \| "6185683" \| "6189098" \| "6236971" \| "6237786" \| "6240185" \| "6253193").PN. | USPAT | OR | ON | 2004/11/01 17:11 |
| S81 | 14 | ("6385596".URPN. (("4747139" \| "4817140" \| "5003410" \| "5033084" \| "5034980" \| "5155768" \| "5191573" \| "5199066" \| "5418713" \| "5592651" \| "5621796" \| "5623547" \| "5636276" \| "5661799" \| "5673316" \| "5675734" \| "5677953" \| "5715314" \| "5724424" \| "5734823" \| "5734891" \| "5742845" \| "5745568" \| "5754649" \| "5757907" \| "5778421" \| "5790677" \| "5794217" \| "5809144" \| "5857021" \| "5889860" \| "5892900" \| "5900564" \| "5910987" \| "5915019" \| "5917912" \| "5920861" \| "5943422" \| "5949876" \| "5982891" \| "6005939" \| "6061448" \| "6112181" \| "6138119" \| "6157721" \| "6185683" \| "6189098" \| "6236971" \| "6237786" \| "6240185" \| "6253193").PN.)) and session adj key | USPAT | OR | ON | 2004/11/01 17:11 |

S82	13	(("6385596".URPN. (("4747139" | "4817140" | "5003410" | "5033084" | "5034980" | "5155768" | "5191573" | "5199066" | "5418713" | "5592651" | "5621796" | "5623547" | "5636276" | "5661799" | "5673316" | "5675734" | "5677953" | "5715314" | "5724424" | "5734823" | "5734891" | "5742845" | "5745568" | "5754649" | "5757907" | "5778421" | "5790677" | "5794217" | "5809144" | "5857021" | "5889860" | "5892900" | "5900564" | "5910987" | "5915019" | "5917912" | "5920861" | "5943422" | "5949876" | "5982891" | "6005939" | "6061448" | "6112181" | "6138119" | "6157721" | "6185683" | "6189098" | "6236971" | "6237786" | "6240185" | "6253193").PN.)) and session adj key) and @ad<"20000218"	USPAT	OR	ON	2004/11/01 17:12
S83	2990533	@ad<"20000218"	USPAT	OR	ON	2004/11/02 10:20
S84	54	@ad<"20000218" and (security authentication) adj server same session adj key	USPAT	OR	ON	2004/11/02 12:10
S85	29	coppersmith.inv.	USPAT	OR	ON	2004/11/02 10:34
S86	7	coppersmith.inv. and password	USPAT	OR	ON	2004/11/02 10:34
S87	6	@ad<"20000218" and (security authentication) adj server with generat$5 near2 session adj key	USPAT	OR	ON	2004/11/02 13:05
S88	3	@ad<"20000218" and key with distribution with center same private adj key and client and server	USPAT	OR	ON	2004/11/02 13:05
S89	14	@ad<"20000218" and key with distribution with (center server) same private adj key and client and server	USPAT	OR	ON	2004/11/02 13:05
S90	311316	@ad<"20000218" and key with distribution with (center server) same private adj key and client and server and sessiona dj key	USPAT	OR	ON	2004/11/02 13:06
S91	7	@ad<"20000218" and key with distribution with (center server) same private adj key and client and server and session adj key	USPAT	OR	ON	2004/11/02 13:06
S92	119	@ad<"20000218" and 380/279.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/02 13:20

S93	1	("6061796".PN. and (@ad<"20000218" and (security authentication) adj server same session adj key)) and (session adj key)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/02 13:21
S94	31	(@ad<"20000218" and 380/279. ccls.) and (session adj key)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/02 13:21
S96	4656538	@ad<"20000218"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/15 09:16
S97	52	S96 and key near2 distribut$5 and (data media file) near3 encrypted near3 private adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/15 12:03
S98	38	("5481613").URPN.	USPAT	OR	ON	2004/11/15 09:53
S99	19	("4433207" | "4903296" | "5144665" | "5319705" | "5590197" | "5625690" | "5701343" | "5754649" | "5761308" | "5784460" | "5857021" | "5915018" | "5991399" | "6075862").PN. OR ("6438235").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/15 10:23
S100	21	(S97 S99) and S96 and session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/15 10:24
S101	40	S96 and session adj key with (authentication security) adj server	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/15 12:07
S102	33	S96 and key near2 distribut$5 with client with server	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/15 12:03
S103	0	wiser.inv. and session adj key	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/15 12:07
S104	35	S96 and session adj key with (authentication security) adj server same (transmit$4 distribut$5 send sent)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/15 12:18
S105	23	S96 and 705/51.ccls. and session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/15 12:53

| S106 | 10 | S96 and 705/57.ccls. and session adj key | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2004/11/15 13:01 |
| S107 | 4657089 | @ad<"20000218" | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2004/11/30 09:14 |